

marquis
COLLECTION by Kingsman



S O L A R A

ZERO CLEARANCE DIRECT VENT GAS FIREPLACE

Unit Illustrated is a MQZDV3622N Zero Clearance Direct Vent Fireplace – Natural Gas, with MQLOGC22 Split Oak Log Set, Z1GBL Black Grill Kit, and Optional VLBIT6 Small Log Bits.



SAFETY SCREEN BARRIER

WALL SURROUND

FLATT

BLACK

PEWTER

STYLING



SPLIT OAK LOG SET



ROCK COLLECTION

Add Some **SIZZLE**

Incredibly versatile, the Solara is perfectly at home with a classic mantle or contemporary wall surround. Plus you can also choose a log set or a contemporary rock set.



PAINTED BROWN^{*} WALL SURROUND
with black band accents.

PEWTER WALL SURROUND
with black and chrome band accents.


BLACK WALL SURROUND
with black corner accents.

*Choose your own color with Stove Bright Paint!

Unit Illustrated is a MQZDV3622N Zero Clearance Direct Vent Fireplace – Natural Gas, with MQROCK2 Contemporary Rock Collection, MQRSP5 Rock Support Platform, Z36CVCK Designer Clean View Circulating Kit, MQ36SWFBL Flatt Wall Surround – Black, MQ36SWAKSC Chrome Keystone Accent, Z3622PRL Porcelain Reflective Liner.

Corner Framing Dimensions (inches)

	LOUVERED		CLEAN VIEW CIRCULATING KIT (CVCK)	
	MQZDV3318	MQZDV3622	MQZDV3318	MQZDV3622
A	43 ³ / ₄ "	50 ¹⁵ / ₁₆ "	48 ⁷ / ₈ "	56"
B	33"	36 ³ / ₈ "	33 ⁷ / ₈ "	38 ⁷ / ₁₆ "
C	32 ¹ / ₂ "	36"	33 ⁹ / ₁₆ "	38 ¹ / ₁₆ "
D	5 ³ / ₈ "	7 ⁵ / ₁₆ "	7 ¹ / ₂ "	8 ³ / ₄ "
E	31"	36"	34 ⁹ / ₁₆ "	39 ⁵ / ₈ "
F	8 ¹ / ₂ "	11"	8 ¹ / ₂ "	11"
G	12"	15 ¹ / ₄ "	12"	15 ⁵ / ₈ "
H	21 ⁷ / ₈ "	25 ¹ / ₂ "	24 ⁷ / ₁₆ "	28"



Top Flue Model	Width	Height
MQZDV3318	25 ¹ / ₂ "	14 ⁵ / ₁₆ "
MQZDV3622	29 ³ / ₄ "	16 ¹ / ₈ "

VIEWING AREA

MQZDV3318	25 ¹ / ₂ "	14 ⁵ / ₁₆ "
MQZDV3622	29 ³ / ₄ "	16 ¹ / ₈ "

Top Flue Model	Height		Front Width		Depth	
	Actual	Framing	Actual	Framing	Actual	Framing

LOUVERS

MQZDV3318	30 ¹ / ₂ "	31"	32 ³ / ₈ "	33"	15 ³ / ₄ "	15 ¹ / ₄ "
MQZDV3622	33 ¹ / ₂ "	34"	36"	36 ³ / ₈ "	15 ¹¹ / ₁₆ "	15 ¹ / ₄ "

CLEAN VIEW CIRCULATING KIT (CVCK)

MQZDV3318	30 ³ / ₈ "	33 ³ / ₈ "	33 ⁹ / ₁₆ "	33 ⁷ / ₈ "	18 ³ / ₁₆ "	17 ³ / ₄ "
MQZDV3622	33 ³ / ₄ "	36 ³ / ₄ "	38 ¹ / ₁₆ "	38 ⁷ / ₁₆ "	18 ¹¹ / ₁₆ "	17 ³ / ₄ "

MQSW Wall Mount Surround Dimensions (inches)

	MQ33SWF	MQ36SWF
A	35 ⁵ / ₁₆ "	37 ⁵ / ₃₂ "
B	45 ¹³ / ₁₆ "	50 ⁵ / ₁₆ "
C	28 ³ / ₈ "	32 ¹⁵ / ₁₆ "
D	17 ¹³ / ₁₆ "	19 ⁵ / ₈ "
E	8 ³ / ₄ "	8 ³ / ₄ "
F	8 ³ / ₄ "	8 ³ / ₄ "
G	8 ³ / ₄ "	8 ³ / ₄ "
H	1"	1"
I	1 ³ / ₁₆ "	1 ³ / ₁₆ "

Model	MQZDV3318NE	MQZDV3318LPE	MQZDV3622NE	MQZDV3622LPE
	MQZDV3318N	MQZDV3318LP	MQZDV3622N	MQZDV3622LP
Fuel	Natural	Propane	Natural	Propane
Input Max.	19,000 BTU	18,000 BTU	21,000 BTU	21,000 BTU
Input Min.	12,100 BTU	11,900 BTU	14,200 BTU	16,200 BTU
FE (P.4.1-02)	53.4%	51.4%	63.9%	60.2%

STANDARD FEATURES

- > Millivolt or IPI valve system allows operation during a power failure with Hi/low heat and flame adjustment.
- > Mobile Home, Bedroom and Bed Sitting Room approved.
- > Safety Screen Barrier*



OPTIONAL FEATURES

Designer Clean View Circulating Kit – No Louvers Required.

Louvers – Grills available in Black, Classic Series Black with Antique, Chrome or Polished Brass accents

Surrounds Wide (Louvered Units) – Polish Brass, Antique or Chrome

Coverage – MQZDV3318 – 31³/₁₆" h x 36⁵/₈" w

MQZDV3622 – 34¹/₄" h x 41¹/₈" w

Surrounds Slim Line (Louvered Units) – Polished Brass,

Antique Brass, Chrome or Gun Metal Black

Coverage – MQZDV3318 – 30⁷/₈" h x 33⁷/₈" w

MQZDV3622 – 34¹/₄" h x 37¹/₂" w

Fan Kit – Heat activated with variable speed control

Thermostat – Wall Mount Millivolt Thermostat or Programmable Thermostat

Remote Control – On/Off, Thermostat, Thermostat/Modulating or Thermostat/Modulating Fan

Porcelain Reflective Liner or Metal Brick Liner

Wall Surrounds – Flatt with Black or Pewter Finishes

Wall Surrounds Accents

- > Keystone – Brushed Chrome or Black
- > Designer Band Accents – 4 x Black (sml), 2 x Chrome (lrg)
- > Designer Corner Accents – 4 x Black



* All gas fireplaces manufactured as of January 1, 2015 will include a Safety Screen Barrier.

 **marquis**
COLLECTION | by Kingsman




Kingsman Fireplaces maintains a program of continuous testing refinement and improvements of all its products. Some aspect of units shown here may be changed at any time without notice or obligation.

Certification: The models MQZDV3318N, MQZDV3318LP, MQZDV3622N, MQZDV3622LP, are certified to ANSI Z21.88-2014, CSA 2.33-2014, CGA 2.17-M91 (R2009) vented gas fireplace heater.



2340 Logan Avenue, Winnipeg, Manitoba, Canada R2R 2V3 Phone: 204.632.1962 Fax: 204.632.1960 www.marquisfireplaces.net

Printed in Canada B059 - 06/15 

Unit Illustrated is a MQZDV3622N Zero Clearance Direct Vent Fireplace – Natural Gas, With MQLOGC22 Split Oak Log Set, Z36CVCK Designer Clean View Circulating Kit, Z3622ML Metal Brick Liner, and Optional VLBIT6 Small Log Bits. (*Finishing materials that cover the Z36CVCK Kit must be non-combustible materials)